

2396-402 Level 4 Principles, Design, Erection and Verification of Electrical Installations.

Chief Examiner's report – **June 2016**



About City & Guilds

City & Guilds is the UK's leading provider of vocational qualifications, offering over 500 awards across a wide range of industries, and progressing from entry level to the highest levels of professional achievement. With over 8500 centres in 100 countries, City & Guilds is recognised by employers worldwide for providing qualifications that offer proof of the skills they need to get the job done.

City & Guilds Group

The City & Guilds Group includes City & Guilds, ILM (the Institute of Leadership & Management, which provides management qualifications, learning materials and membership services), City & Guilds NPTC (which offers land-based qualifications and membership services), City & Guilds HAB (the Hospitality Awarding Body), and City & Guilds Centre for Skills Development. City & Guilds also manages the Engineering Council Examinations on behalf of the Engineering Council.

Equal opportunities

City & Guilds fully supports the principle of equal opportunities and we are committed to satisfying this principle in all our activities and published material. A copy of our equal opportunities policy statement is available on our website.

Copyright

The content of this document is, unless otherwise indicated, © The City and Guilds of London Institute and may not be copied, reproduced or distributed without prior written consent.

However, approved City & Guilds centres and candidates studying for City & Guilds qualifications may photocopy this document free of charge and/or include a PDF version of it on centre intranets on the following conditions:

centre staff may copy the material only for the purpose of teaching candidates working towards a City & Guilds qualification, or for internal administration purposes

candidates may copy the material only for their own use when working towards a City & Guilds qualification

The Standard Copying Conditions (which can be found on our website) also apply.

Please note: National Occupational Standards are not © The City and Guilds of London Institute. Please check the conditions upon which they may be copied with the relevant Sector Skills Council.

Publications

City & Guilds publications are available from our website or from our Publications Sales department, using the contact details shown below.

Every effort has been made to ensure that the information contained in this publication is true and correct at the time of going to press. However, City & Guilds' products and services are subject to continuous development and improvement and the right is reserved to change products and services from time to time. City & Guilds cannot accept liability for loss or damage arising from the use of information in this publication.

City & Guilds

1 Giltspur Street

London EC1A 9DD

T +44 (0)844 543 0000

F +44 (0)20 7294 2413

www.cityandguilds.com

centresupport@cityandguilds.com

Contents

1	Introduction	2
2	Feedback on candidate performance	3
	General feedback	3
	Cable Design Calculations	3
	Knowledge of BS 7671 (Design)	4
	Knowledge of BS 7671 (Selection and Erection)	4
	Verification	4
	Special Locations	4
	Appendices	Error! Bookmark not defined.
3	National pass rate	5
	Past examination series	5
4	Forthcoming Exam Dates	5

1 Introduction

The purpose of this document is to provide centres with feedback on the performance of candidates in the **June 2016** examination for 2396-402 Design, Erection and Verification of Electrical Installations.

The Chief Examiners' Report has been reintroduced as a result of feedback from centres, to give them guidance in preparing candidates for the written examination.

2 Feedback on candidate performance

General feedback

The following comments are intended to help students prepare for the examination by having a better understanding of what is expected of them. The feedback within this report would also be valuable to tutors in understanding candidates' difficulties in answering questions and the areas where more guidance is required.

The **June 2016** question paper was found to be in accordance with the scheme requirements.

The examination entry for this series was approximately **170**.

In general, responses to questions for this series were to a good standard with good use of BS 7671. Any candidate who either simply quotes regulation numbers or recites the requirements of BS 7671, without interpretation, will not score well.

Candidates should be made aware that examinations are in the form of a combined question and answer book instead of a separate question paper with separate answer book. Each question will have an allocated space where the answer needs to be provided. Although candidates may use additional sheets if they run out of space or feel they need to re-submit an answer, candidates are advised to use the generous space provided efficiently. Candidates must be aware that questions having a stem before the questions a), b), etc., answers must relate to the information in the stem. Some candidates lose marks as they provide answers which do not relate to the installation in the question.

It is **essential** that candidates read a **full** question before attempting as many candidates answered some parts of questions before they were asked to. This led to early spaces becoming cramped and candidates answering later questions stating 'see question earlier'.

Cable Design Calculations

Candidates on the whole show a good ability in the application of circuit design for both live conductors and cpc. Some candidates oversized the conductors as they possibly exercised caution, this was not penalised as long as it was not too excessive. In contrast, many candidates in this series undersized the cable due to inappropriate application of rating factors which did result in lost marks.

Also, a number of candidates did **not** show **all** of their calculations when justifying the cable current capacity. As the process carries marks, these candidates would not have scored the maximum available.

Candidates generally apply a good understanding of design earth fault loop impedance and the application of the adiabatic equation as Chapter 54 of BS 7671. In contrast to this, a large proportion of candidates are unable to **conclude** whether their circuit calculations are acceptable or not.

Conclusions to questions are as important as the calculations used to arrive at an answer. A large part of the design process is justification of sizes selected. Candidates are encouraged to conclude their selections by making comparisons to permitted and/or calculated values.

Knowledge of BS 7671 (Design)

A working knowledge of BS 7671 is required by all candidates. Some candidates are able to recite the requirements of BS 7671 but are unable to demonstrate how these requirements are applied by using examples. Candidates at this level must be able to interpret requirements. Quoting regulation numbers or text within BS 7671 only is not a suitable response.

Once again, a large proportion of candidates did not manage to successfully verify values of short circuit current for a circuit. Instead, many either seemed confused with earth loop impedance values and/or were unable to determine if the circuit was suitably protected against short circuit current. Candidates need to understand that where a circuit relies on an RCD for earth fault protection, the circuit may not have adequate short circuit protection to the requirements of **Chapter 43** of BS 7671. Many, at this point, would refer to disconnection times for earth fault conditions instead of verifying the circuits suitability using requirements from Chapter 43.

The vast majority of candidates answered questions relating to Fundamental Principles and General Characteristics very well although many were unable to match Protective Measures with the methods of fault protection in Chapter 13.

Few candidates were able to demonstrate a full understanding of the considerations within a documented risk assessment used to determine that Additional Protection by and RCD is unnecessary. Many candidates did not attempt this question whilst those that did, concentrated on the circuit rather than the equipment and users.

Knowledge of BS 7671 (Selection and Erection)

Design considerations for earthing and bonding conductors proved to be a challenge for the majority of candidates. Many lost marks by simply reciting BS 7671. Good designers must demonstrate an understanding of why regulations exist rather than simply recalling that they do exist.

Another question relating to emergency switching, undervoltage and stroboscopic effects was generally answered well but lacked some higher level detail or understanding.

Verification

This question was answered well by the vast majority of candidates. Some candidates did seem to confuse methods of correcting for circuit temperature with corrections for voltage.

Special Locations

As well as having an understanding of the requirements of BS 7671 for Special Installations or Locations, candidates at this level need to demonstrate a knowledge of the risks which lead to these further measures. A good understanding of the risks enables designers to select suitable measures including a better understanding of why certain requirements must be met.

Many candidates answered these questions to a very good standard including those associated with electric vehicle charging installations.

3 National pass rate

The national pass rate for the 2396-402 **June 2016** examination is as follows:

Exam series	Distinction (%)	Merit (%)	Pass (%)	Fail rate (%)
June 2016	11	17	41	31

Past examination series

Exam series	Distinction (%)	Merit (%)	Pass (%)	Fail rate (%)
March 2016	15	28	28	29
December 2015	5	15	34	46
June 2015	8	16	38	38

4 Forthcoming Exam Dates:

- **December 2016**
- **March 2017**
- **June 2017**

Published by City & Guilds
1 Giltspur Street
London
EC1A 9DD
T +44 (0)844 543 0000
F +44 (0)20 7294 2413
www.cityandguilds.com

City & Guilds is a registered charity
established to promote education
and training