

## 6720-048 and 548 June 2018

## 6720-36 Advanced Technical Extended Diploma in Constructing the Built Environment (Design and Planning) (720)

T	State <b>two</b> defects associated with structural movement of		
	Acceptable answer(s)	Guidance	Max marks
	<ul> <li>Any two from the list below at one mark each.</li> <li>Cracking of walls (eg brickwork/plaster) max one mark.</li> <li>Bowing of walls.</li> <li>Floors out of alignment.</li> <li>Door frames twisted.</li> <li>Movement along the bed joints and features eg cills.</li> </ul>	n/a	2

2	Describe why it is important to have a planned maintenance	ce programme.	
	Acceptable answer(s)	Guidance	Max marks
	The main reasons why include; it keeps the property in optimum condition (1), allows work items to be scheduled (1) and costs spread out (1), it reduces running (1) and maintenance (1) costs over the life span of the building. Increases the lifespan of the building (1).	The answer needs to be a description and a list will be limited to <b>one</b> mark max.	3

3	Outline the <b>three</b> main stages when tendering for a conver	sion project.	
	Acceptable answer(s)	Guidance	Max marks
	<ul> <li>The contract documents are sent to the contractors (1).</li> <li>Contractors price the works (1).</li> </ul>	n/a	3
	<ul> <li>The contractor is appointed and contracts signed (1).</li> </ul>		

Acceptable answer(s)	Guidance	Max mark
A coherent summary that describes the requirements and does not list them. Responses must relate specifically to the scenario given. The discussion will include some or all the following for <b>one</b> mark each to a maximum of <b>five</b> marks.	If candidates simply list the process then a max of <b>two</b> marks will be awarded for a comprehensive list.	5
Any work on or adjacent to a Party wall, structure or boundary (fence) may be subject to the requirements of the Party Wall etc Act (1). If the works materially alter the wall then a Party Wall Award is required (1). This is prepared by surveyors acting for the person the work is being undertaken for (Building Owner) (1) and the neighbour(s) (Adjoining Owner) (1). The award will stipulate the specific requirements of the Act and will serve to protect the structural stability of the wall/structure/boundary (1). A detailed record (Schedule of Condition) will be prepare (1) and along with the proposed work details will be appended to the award (1). The surveyors acting for the BO and AO will agree both the condition, and the works relative to the wall (1). The principal aim is to ensure that the new works do not impact on the wall in any way (1). During the works the BO and AO surveyors will monitor the works in relation to the wall (1) and both will inspect and sign off on completion (1).		

5	Explain why certain building services tasks within the construction phase of a conversion project <b>must</b> be undertaken by a suitably qualified person.		
	Acceptable answer(s)	Guidance	Max marks
	A coherent explanation that highlights that: All works to Gas and Electrical (1) installations must be	Gas and Electric alone would get <b>one</b> mark. There needs to be a discussion as to why it is important	3
	carried out by a trained, certified and competent individual.	and consideration of the need for certification by a qualified and competent person.	
	Both gas and electrical installation are highly dangerous and failure to install correctly can lead to personal injury and damage to the property (1). Both trades are carefully regulated and certificates of completion are required at the end of a project (1). Building control will request copies of all certificates before they sign off on a project (1).		

6	Explain the implications of poor workmanship on the long-term condition of a building.		
	Acceptable answer(s)	Guidance	Max marks
	<ul> <li>A coherent linked description that highlights the main issues caused by poor workmanship. These include (one mark each as part of a linked explanation):</li> <li>Faster wear and tear of the fabric.</li> <li>Increased maintenance cost.</li> <li>Exacerbated failure of service components.</li> <li>Reduced efficiency in the running costs.</li> <li>Shorter life span for components.</li> <li>Potential non-compliance with legislation.</li> <li>Increased potential of obsolescence.</li> </ul>	If candidates simply produce a list the maximum awarded will be <b>one</b> mark.	2

7	State <b>two</b> types of work a residential building surveyor m	ay survey for legal purposes.	
	Acceptable answer(s)	Guidance	Max marks
	<ul> <li>Any two for one mark each from:</li> <li>Party wall.</li> <li>Boundary dispute.</li> <li>House disposal (sale) / acquisition (purchase) (one mark max).</li> <li>Right to light.</li> <li>Expert witness.</li> </ul>	n/a	2

8a)	State what is meant by the acronym 'RICS'?			
	Acceptable answer(s)	Guidance	Max marks	
	Royal Institution of Chartered Surveyors.	n/a	1	
8(b)	State what is the role of the RICS?			
	Acceptable answer(s)	Guidance	Max marks	
	The professional/governing body for surveyors who set and manage professional standards.	n/a	1	

Acceptable answer(s)	Guidance	Max marks
<ul> <li>A coherent linked explanation that highlights how the building surveyor could be involved in the following way: <ul> <li>Inception- design ideas (1), budget planning (1).</li> <li>Design – survey of building (1), production of drawings (1), production of specification (1).</li> <li>Legal – dealing with H&amp;S (1), planning and building control (1).</li> <li>Contract administration – acting as contract administrator (1).</li> <li>Project management of the works (1).</li> </ul> </li> </ul>	The candidate must produce a coherent and linked discussion explain each of the above aspects of their involvement. A simple list will gain a maximum of <b>three</b> marks.	5

Acceptable answer(s)	Guidance	Max marks
<ul> <li>Any two, max one mark each from:</li> <li>Wear appropriate PPE.</li> <li>Do not work off ladders.</li> <li>Use alternative methods of surveying eg drones and pole cameras.</li> <li>Use mansafe systems where provided.</li> <li>Do not work alone.</li> <li>Undertake dynamic risk assessments.</li> </ul>	The answers must be <b>two</b> different considerations. For example, wear a harness and wear a hard hat are both in the category of PPE so would achieve <b>one</b> mark.	2

Acceptable answer(s)	Guidance	Max marks
<ul> <li>Any two for one mark each from:</li> <li>Size of the building.</li> <li>Methods of construction.</li> <li>Details of the surrounding area.</li> <li>Information relating to the neighbouring properties.</li> <li>Site wide restrictions or issues.</li> <li>Photographs</li> </ul>	n/a	2

12	Explain the safety measures a building surveyor should undertake off site, prior to commencing a site
	inspection for a survey.

Acceptable answer(s)	Guidance	Max mar
A coherent linked explanation that considers the pre- survey protocol. This will include:	n/a	5
Measures: max <b>three</b> marks. Speaking to the client to (1), check the planning portal to obtain details of any previous works (1), find out the age of the property (1), ascertain where possible the methods of construction (1), obtain any existing asbestos surveys (1), review any historic survey reports (1), view the property via in-line mapping systems (1), speak to neighbours (1) speak to contractors who may have worked on the building historically (1).		
Why: max <b>two</b> marks: Ascertain any known hazards, right equipment, avoid asbestos, identify if colleague is required.		

13 Name <b>two</b> historical events that prompted significant development and change to Building Regula				
	Acceptable answer(s)	Guidance	Max marks	
	Any <b>two</b> for <b>one</b> mark each from the list below.	n/a	2	
	Great Fire of London.			
	• Plague.			
	Cholera outbreaks.			
	Industrial Revolution.			
	World War II.			
	Ronan Point explosion.			
	Climate change.			

14	State <b>three</b> categories listed in the current Building Act that the Building Regulations are designed to satisfy.			
	Acceptable answer(s)	Guidance	Max marks	
	<ul> <li>Any three for one mark each from the list below.</li> <li>Health and safety of persons in and around building.</li> <li>Conservation of fuel and power.</li> <li>Preventing waste, undue consumption, misuse or contamination of water.</li> </ul>	n/a	3	

Г

Т

•	Protection	or enhand	cement of the	e environment.
---	------------	-----------	---------------	----------------

- Sustainable development.
- Prevention or detection of crime.

Acceptable answer(s)	Guidance	Max mark
A coherent explanation that considers the reasons why.	n/a	4
Max <b>two</b> marks for aspects of Part L: Approved Document L is the Conservation of Fuel and Power (1). It stipulates the minimum requirements for achieving compliance with the Build Regulations (1) and considers issues such as insulations (1) modern methods of construction (1) energy producing appliances (1) alternative energy sources (1).		
Max <b>two</b> marks for why: The UK Government have stated that through control of the Building Regulations and the reduction of energy consumption in the construction (1) and use of all buildings the country will be able to meet their commitment to climate change (1). Primarily concerned with the reduction in energy consumption for all new and refurbished buildings. (1). Approved Document L is a key part in the UK strategy for dealing with climate change (1).		

16	Describe how a developer should satisfy the <b>minimum</b> requirements for sanitary conveniences and washing facilities to ensure Building Regulations compliance.			
	Acceptable answer(s)	Guidance	Max marks	
	A coherent linked discussion that details the requirements of the App Docs to meet the minimum requirements.	n/a	3	
	Requirements (max <b>two</b> marks): Sanitary Conveniences and washing facilities are covered in App Doc G (1). They stipulate, adequate and suitable sanitary conveniences must be provided in rooms provided to accommodate them or in bathrooms (1). Adequate hand washing facilities must be provided in rooms containing sanitary conveniences; (1) or rooms or spaces adjacent to rooms containing sanitary			

conveniences (1). Any room containing a sanitary convenience, a bidet, or any facility for washing hands provided in accordance with paragraph, must be separated from any kitchen or any area where food is prepared (1).	
Why: max <b>one</b> mark:	
Ensure hygiene, ensure consistent supply of services, prevent smells, prevents the spread of disease.	

17 Your client has purchased a large double fronted Georgian town house (circa 1900) in a central location of a busy town. The property is traditionally constructed with solid brick walls, slate covered timber trussed roof and single glazed box sash windows.

The property was last used as offices and is in a poor state of repair. Several of the original doors have been removed, the roof has slipped with missing slates and the windows have extensive wet rot. There is no thermal insulation and there are damp issues in the rear ground floor offices. The services are old but functional, however the cold-water provision is through lead pipes.

Your client wants to convert the property back to a single dwelling which they intend to live in. The property is not listed, but is located in a conservation area. You have been asked to advise on:

- The role of a building surveyor in the refurbishment project.
- Measures needed to comply with the Building Regulations.
- Maintenance considerations once the property is refurbished.

Discuss the **main** considerations in respect of the client's specific request.

Acceptable answer(s)	Guidance	Max marks
Intention: The aim of this question is for candidates to demonstrate their knowledge of and understanding of the role of the building surveyor in a refurbishment project. To show they understand the maintenance requirements for a property and how to apply legislative requirements to a conversion project to satisfy Building Regulations.	<ul> <li>Indicative content:</li> <li>Role of the building surveyor:</li> <li>Building survey, specifications, drawings, inspections. Project management, certification, contractual matters, payments, quality control.</li> </ul>	12
<b>Band 1 (1-4 marks)</b> The learner identifies a limited number of the key considerations, with limited discussion to support them. There is limited reference to the role of the building surveyor in a refurbishment project and limited consideration of the maintenance and requirements and application of the building regulations. The response lacks accuracy and detail and makes a limited reference to the scenario. To access higher marks, the response must be clearly linked to the scenario.	<ul> <li>Measures needed to comply with the Building Regulations:</li> <li>Legislative needs, construction methods, building regulation compliance, approved documents and application process.</li> <li>Maintenance considerations once the property is refurbished:</li> <li>Construction methods, maintenance requirements,</li> </ul>	

<b>Band 2 (5-8 marks)</b> The learner identifies a range of the key considerations, with a broad discussion to support them. The responses are detailed and make some reference to the scenario. To access higher marks, the response must have the tasks listed in a logical order.	maintenance options, schedules of maintenance and maintenance regimes. For no awardable content, award 0 marks.	
<b>Band 3 (9-12 marks)</b> The learner identifies a comprehensive range of the key considerations with a detailed discussion to support them. The responses are detailed and makes clear links to the scenario. The learner demonstrates a thorough understanding of the main considerations and presents them in a linked and coherent manner. To access higher marks, the response must include reference to specific legislative requirements and contractual procedures.		